

Weng peer-reviewed journal publications

- 1) **Weng Y**, Liu DJ. Morphology, scab resistance and cytogenetics of Inter-generic hybrids between wheat and two *Roegneria* species. *Scientia Agricultura Sinica* 22: 1-7. 1989.
- 2) **Weng Y**, Liu DJ. Preliminary studies on screening of Fusarium head blight (FHB) resistance in wheat using crude toxins produced by *Fusarium graminearum*. *Journal of Nanjing Agricultural Univ*, 12: 116-118. 1989.
- 3) Liu DJ, **Weng Y**, Wang YN, Chen PD. Gene transfer of scab resistance from *Roegneria kamoji* and *Elymus giganteus* L to common wheat. *Journal of Jiangsu Agricultural Sciences* 1: 97-100. 1989.
- 4) Liu DJ, **Weng Y**. Biotechnology and plant breeding. *Journal of Nanjing Agricultural University*, 13: 1-12. 1990.
- 5) **Weng Y**, Liu DJ. Morphology and cytogenetics of interspecific hybrids among three *Roegneria* species, *R. ciliaris*, *R. japonensis* and *R. kamoji*. *Journal of Nanjing Agricultural University* 14: 6-11. 1991.
- 6) **Weng Y**, Liu DJ. Advances in RFLP mapping of wheat, barley and rye (I). *Journal of World Agriculture* 11: 24-26. 1993.
- 7) **Weng Y**, Liu DJ. Advances in RFLP mapping of wheat, barley and rye (II). *Journal of World Agriculture* 12: 15-17. 1993.
- 8) Liu DJ, **Weng YQ**. Recent progress in plant genetic engineering. *Jiangsu Crop Newsletters* (4): 1-8. 1993.
- 9) Wu LF, Wang XF, **Weng Y**, Chen PD, Liu DJ. Scab resistance and cytogenetics of backcross derivatives of the inter-generic hybrid between wheat and *Roegneria kamoji*. *Journal of Anhui Agricultural Sciences* 25: 7-10. 1997.
- 10) **Weng Y**, Tuleen NA, Hart GE. Extended physical maps and a consensus physical map of the group-6 chromosomes of wheat (*Triticum aestivum* L.). *Theoretical and Applied Genetics* 100: 519-527. 2000.
- 11) **Weng Y**, Lazar MD. Comparison of homoeologous group-6 short arm physical maps of wheat and barley reveals similar distribution of recombinogenic and gene-rich regions. *Theoretical and Applied Genetics* 104: 1078-1085. 2002. (Corresponding author)
- 12) **Weng Y**, Lazar MD. Simple Sequence Repeat (SSR) - and Amplified Fragment Length Polymorphism (AFLP)-based molecular tagging and mapping of greenbug (*Schizaphis graminum*) resistance gene *Gb3* in wheat. *Plant Breeding* 121:218-223. 2002. (Corresponding author)

- 13) **Weng Y**, Lazar MD, Michels Jr. GJ, Rudd JC. Phenotypic mechanisms of host resistance against greenbug revealed by near isogenic lines of wheat. *Journal of Economical Entomology* 97: 654-660. 2004. (Corresponding author)
- 14) **Weng Y**, Michels Jr. GJ, Lazar MD, Rudd JC. Spatial and temporal distribution of induced resistance to greenbug herbivory in resistant and susceptible near isogenic lines of wheat. *Journal of Economical Entomology* 98: 1024-1031. 2005. (Corresponding author)
- 15) **Weng Y**, Li WL, Devkota RN, Rudd JC. Microsatellite markers associated with two *Aegilops tauschii*-derived greenbug resistance loci in wheat. *Theoretical and Applied Genetics* 110: 462-469. 2005. (Corresponding author)
- 16) **Weng Y**, Azhaguvvel P, Devkota RN, Rudd JC. PCR-based markers for detection of different sources of 1AL.1RS and 1BL.1RS wheat-rye translocations in wheat genetic background. *Plant Breeding* 126: 482-486. 2007. (Corresponding author)
- 17) **Weng Y**, Azhaguvvel P, Michels Jr. GJ, Rudd JC. Cross-species transferability of microsatellite markers from six aphid (Hemiptera: Aphididae) species and their use for evaluating biotypic diversity in two cereal aphids. *Insect Molecular Biology* 16: 613-622. 2007. (Corresponding author)
- 18) Azhaguvvel P, Li W, Rudd JC, Gill BS, Michels Jr. GJ, **Weng Y**. Greenbug (*Schizaphis graminum*) feeding responses and EST-SSR based genetic diversity among six diploid *Brachypodium distachyon* accessions. *Plant Genetics Resources*. 7:72-79. 2008. (Corresponding author)
- 19) **Weng Y**, Johnson S, Staub JE, Huang SW. An extended inter-varietal microsatellite linkage map of cucumber, *Cucumis sativus* L. *HortScience* 45: 880-886. 2010. (Corresponding author)
- 20) **Weng Y**. Genetic diversity among *Cucumis metuliferus* populations revealed by microsatellites. *HortScience* 45: 214–219. 2010. (Corresponding author)
- 21) Cavagnaro PF, Senalik DA, Yang LM, Simon PW, Harkins TT, Kodira CD, Huang SW, **Weng Y**. Genome-wide characterization of simple sequence repeats in cucumber (*Cucumis sativus* L.). *BMC Genomics* 2010, 11:569. 2010. (Corresponding author)
- 22) Kang HX, **Weng Y**, Yang YH, Zhang ZH, Zhang SP, Mao ZC, Cheng GH, Gu XF, Huang SW, Xie BY. Fine genetic mapping localizes cucumber scab resistance gene *Ccu* into an *R* gene cluster. *Theoretical and Applied Genetics* 122:795-803. 2010. (Co-first author)
- 23) Luo H, Rudd JC, Burd JD, **Weng Y**. Molecular mapping of greenbug resistance genes *Gb2* and *Gb6* in T1AL.1RS wheat-rye translocations. *Plant Breeding* 129: 472-476. 2010. (Corresponding author)

- 24) Šimková H, Šafář J, Suchánková P, Číhalíková J, Azhaguvel P, **Weng Y**, Peng JH, Lapitan NLV, Ma Y, You FM, Luo MC, Barto J, Doležel J. BAC libraries from wheat chromosome 7D-efficient tool for positional cloning of aphid resistance genes. *Journal Biomed Biotech.*, Volume 2011, Article ID 302543, doi:10.1155/2011/302543. 2010.
- 25) **Weng Y**, Perumal A, Burd JD, and Rudd JC. Biotypic diversity in greenbug (Hemiptera: Aphididae): microsatellite-based regional divergence and host- adapted differentiation. *Journal of Economic Entomology* 103: 1454-1463. 2010. (Corresponding author)
- 26) The International Brachypodium Initiative (52 authors including **Weng Y**). Genome sequencing and analysis of the model grass *Brachypodium distachyon*. *Nature* 463: 763-768. 2010.
- 27) Vittal R, Ghosh N, **Weng Y**, Stewart BA. Genetic diversity among *Sorghum bicolor* L. genotypes as revealed by prolamines and SSR markers. *Journal of Biotechnology Research* 2: 101-111. 2010. (Corresponding author)
- 28) Li YH, LM Yang, M Pathak, DW Li, XM He, **Y Weng**. Fine genetic mapping of *cp*: a recessive gene for compact (*dwarf*) plant architecture in cucumber, *Cucumis sativus* L. *Theoretical and Applied Genetics* 123: 973-983. 2011. (Corresponding author)
- 29) Li DW, HC Cuevas, LM Yang, YH Li, J Garcia-Mas, J Zalapa, JE Staub, FS Luan, U Reddy, XM He, ZH Gong, **Y Weng**. Syntenic relationships between cucumber (*Cucumis sativus* L.) and melon (*C. melo* L.) chromosomes as revealed by comparative genetic mapping. *BMC Genomics* 12: 396. 2011. (Corresponding author)
- 30) Miao H, Zhang SP, Wang XW, Zhang ZH, Li M, Mu SQ, Cheng ZC, Zhang RW, Huang SW, Xie BY, Fang ZY, Zhang ZX, **Weng Y**, Gu XF. A linkage map of cultivated cucumber (*Cucumis sativus* L.) with 248 microsatellite marker loci and seven genes for horticulturally important traits. *Euphytica* 172: 167-176. 2011.
- 31) Jiang B, Lou QF, Wang D, Wu ZM, Zhang WP, Mbira KG, **Weng Y**, Chen JF. Retrotransposon- and microsatellite sequence-associated genomic changes in early generations of a newly synthesized allotetraploid *Cucumis x hytivus*. *Plant Molecular Biology* 77: 225-233. 2011.
- 32) Rudd J, Devkota R, Fritz A, Baker J, Herrington R, Obert D, Peterson G, Worrall D, Sutton R, Rooney L, Nelson L, **Weng Y**, Morgan G, Bean B, Ibrahim A, Klatt A, Bowden R, Seabourn B. Registration of TAM 401 Hard Red Winter Wheat. *Journal of Plant Registration* 6: 60-65. 2012.
- 33) Azhaguvel P, Rudd JC, Ma YQ, Luo MC, **Weng Y**. Fine genetic mapping of greenbug aphid-resistance gene *Gb3* in *Aegilops tauschii*. *Theoretical and Applied Genetics* 124: 555-564. 2012. (Corresponding author)

- 34) Zhang HY, Wang H, Guo SG, Ren Y, Gong GY, **Weng Y**, Xu Y. Identification and validation of a core set of microsatellite markers for genetic diversity analysis in watermelon, *Citrullus lanatus*. *Euphytica* 186: 329-342. 2012.
- 35) Yang LM, Koo DH, Li YH, Zhang XJ, Luan FH, Havey MJ, Jiang JM, **Weng Y**. Chromosome rearrangements during domestication of cucumber as revealed by high-density genetic mapping and draft genome assembly. *The Plant Journal* 71: 895-906. 2012. (Corresponding author)
- 36) Lu J, Qi JJ, Shi QX, Shen D, Zhang SP, Shao GJ, Li H, Sun ZY, **Weng Y**, Shang Y, Gu XF, Li XX, Zhu XG, Zhang JZ, van Treuren R, van Dooijeweert W, Zhang ZH, Huang SW. Genetic diversity and population structure of cucumber (*Cucumis sativus* L.). *PLoS ONE* 7: e46919. 2012.
- 37) Garcia-Mas J, Benjak A, Sanseverino W, Bourgeois M, Mir G, González VM, Hénaff E, Câmara F, Cozzuto L, Lowy E, Alioto T, Capella-Gutiérrez S, Blanca J, Cañizares J, Ziarsolo P, Gonzalez-Ibeas D, Rodríguez-Moreno L, Droege M, Du L, Alvarez-Tejado M, Lorente-Galdos B, Melé M, Yang LM, **Weng Y**, Navarro A, Marques-Bonet T, Aranda MA, Nuez F, Picó B, Gabaldón T, Roma G, Guijó R, Casacuberta JM, Arúsa P, Puigdomènech P. The genome of melon (*Cucumis melo* L.). *Proc Natl Acad Sci, USA* 109:11872–11877. 2012.
- 38) Reddy SK, **Weng Y**, Rudd JC, Akhunov A, Liu SY. Transcriptomics of induced defense responses to greenbug aphid feeding in near isogenic wheat lines. *Plant Science* 216:26-36. 2013.
- 39) Li YH, Wen CL, **Weng Y**. Fine mapping of the pleiotropic locus B for black spine and orange mature fruit color in cucumber identifies a 50kb region containing a R2R3-MYB transcription factor. *Theoretical and Applied Genetics* 126:2187- 2196. 2013. (Corresponding author)
- 40) He XM, Li YH, Pandey S, Yandell BS, Pathak M, **Weng Y**. QTL mapping of powdery mildew resistance in WI 2757 cucumber (*Cucumis sativus* L.). *Theoretical and Applied Genetics* 126:2149-2161. 2013. (Corresponding author)
- 41) Yang LM, Li DW, Li YH, Gu XF, Huang SW, Garcia-Mas J, **Weng Y**. A 1,681- locus consensus genetic map of cultivated cucumber including 67 NB-LRR resistance gene homolog and ten gene loci. *BMC Plant Biology* 13:53. 2013. (Corresponding author)
- 42) Bo KL, Ma Z, Chen JF, **Weng Y**. Molecular mapping reveals structural rearrangements and quantitative trait loci underlying traits with local adaptation in semi-wild Xishuangbanna cucumber (*Cucumis sativus* L. var. *xishuangbannensis* Qi et Yuan). *Theoretical and Applied Genetics* 128: 25-39. 2014. (Co-corresponding author with Chen JF)
- 43) Lu H, Lin T, Klein J, Wang S, Zhou Q, Sun J, **Weng Y**, Huang S. QTL-seq identifies an early flowering QTL located near *Flowering Locus T* in cucumber. *Theoretical and*

Applied Genetics 127:1491-1499. 2014.

- 44) Devkota R, Rudd JC, Baker J, Peterson G, Worrall D, Bean B, Baughman T, Marshall D, Sutton R, Rooney L, Nelson L, Morgan G, Fritz A, **Weng Y**, Seabourn B. 'TAM 112' wheat: a greenbug and wheat curl mite resistant cultivar adapted to the dryland production system in the southern High Plains. *J Plant Registrations* 8: 291-297. 2014.
- 45) Yang LM, Koo D-H, Li DW, Zhang T, Jiang JM, Luan FS, Renner SS, Hénaff E, Sanseverino W, Garcia-Mas J, Casacuberta J, Senalik DA, Simon PW, Chen JF, **Weng Y**. Next-generation sequencing, FISH mapping, and synteny-based modeling reveal mechanisms of decreasing dysploidy in Cucumis. *Plant Journal* 77: 16–30. 2014. (Corresponding author)
- 46) Levi A, Thies JA, Wechter PW, Farnham M, **Weng Y**. USVL-360, a novel watermelon tetraploid germplasm line. *HortScience* 49: 354-357. 2014.
- 47) Perumal A, Mornhinweg D, Vidya-Saraswathi D, Rudd JC, Chekhovskiy K, Saha M, Close TJ, Dahleen LS, **Weng Y**. Molecular mapping of greenbug (*Schizaphis graminum*) resistance gene *Rsg1* in Barley. *Plant Breeding* 133: 227-233. 2014. (Corresponding author)
- 48) Liu SL, Gu XF, Miao H, Wang Y, **Weng Y**, Wehner TC, Zhang SP. Chromosome location and candidate gene identification of the gene for black spine in cucumber. *Scientia Agricultura Sinica* 47:122-132. 2014
- 49) Sheng YY, Wang X, Wang YY, **Weng Y**. Digital cloning and expression analysis of flower development-related genes in melon, *Cucumis melo* L. *Acta Horticulturae Sinica* 41: 349–356. 2014.
- 50) Pan YP, Bo KL, Cheng ZH, **Weng Y**. The loss-of-function *GLABROUS 3* mutation in cucumber is due to LTR-retrotransposon insertion in a class IV HD-ZIP transcription factor gene *CsGL3* that is epistatic over *CsGL1*. *BMC Plant Biology* 15:302. 2015. (Corresponding author)
- 51) Xu XW, Yu T, Xu RX, Shi Y, Lin XJ, Xu Q, Qi XH, **Weng Y**, Chen XH. Fine mapping of a dominantly inherited powdery mildew resistance major-effect QTL, *Pm1.1*, in cucumber identifies a 41.1 kb region containing two tandem arrayed cysteine-rich receptor-like protein kinase genes. *Theoretical and Applied Genetics* 129:507-516. 2015. (Co-corresponding author with Chen XH)
- 52) Wen CL, Mao AJ, Dong CJ, Liu HY, Yu SC, Guo YD, **Weng Y**, Xu Y. Fine genetic mapping of target leaf spot resistance gene *cca-3* in cucumber, *Cucumis sativus* L. *Theoretical and Applied Genetics* 128: 2495-2506. 2015.
- 53) Tan JY, Tao QY, Niu HH, Zhang Z, Li DD, Gong ZH, **Weng Y**, Li Z. A novel allele of monoecious (*m*) locus is responsible for elongated fruit shape and perfect flowers in cucumber (*Cucumis sativus* L.). *Theoretical and Applied Genetics* 128: 2495-2506. 2015.

- 54) **Weng Y**, Colle M, Wang YH, Yang LM, Rubinstein M, Sherman A, Ophir R, Grumet R. QTL mapping in multiple populations and development stages reveals dynamic quantitative trait loci for fruit size in cucumbers of different market classes. *Theoretical and Applied Genetics* 128: 1747-1763. 2015. (Co- corresponding author with Grumet R)
- 55) *Han YH*, Zhang T, Thammapichai P, **Weng Y**, Jiang J. Chromosome-specific painting in *Cucumis* species using bulked oligonucleotides. *Genetics* 200: 771- 779. 2015. (Co-corresponding author with Jiang J).
- 56) Zhou Q, Miao H, Li S, Zhang S, Wang Y, **Weng Y**, Zhang Z, Huang SW, Gu XF. A sequencing-based linkage map of cucumber. *Molecular Plant* 8: 961-963. 2015.
- 57) Rubinstein M, Katzenellenbogen M, Eshed R, Rozen A, Katzir N, Colle M, Yang LM, Grumet R, **Weng Y**, Sherman A, Ophir R. A ultrahigh-density linkage map for cultivated cucumber (*Cucumis sativus* L.) using a single-nucleotide polymorphism genotyping array. *PLoS One* 10: e0124101. 2015.
- 58) *Wang YH*, VandenLangenberg K, Wehner TC, Kraan PAG, Suelmann J, Zheng XY, Owens K, **Weng Y**. QTL mapping for downy mildew resistance in cucumber inbred line WI7120 (PI 330628). *Theoretical and Applied Genetics* 129: 1493- 1505. 2016. (Corresponding author)
- 59) Zhu HY, Song PY, Koo D-H, Guo LQ, Li YM, Sun XF, Sun SR, **Weng Y**, Yang LM. Genome wide SSR development in watermelon and their application in comparative mapping and genetic diversity. *BMC Genomics* 17: 557. 2016.
- 60) *Li S*, Pan YP, Wen CL, Li YH, Liu XF, Zhang XL, Behera TK, Xing GM, **Weng Y**. Integrated analysis in bi-parental and natural populations reveals *CsCLAVATA3* (*CsCLV3*) underlying carpel number variations in cucumber, *Theoretical and Applied Genetics* 129: 1007-1022. 2016. (Corresponding author)
- 61) *Miao H*, Zhang SP, Wang M, Wang Y, **Weng Y**, Gu XF. Fine mapping of virescent leaf gene *v-1* in cucumber (*Cucumis sativus* L.). *International Journal of Molecular Science* 17: 1602. 2016. (Co-corresponding author with Gu XF)
- 62) Wen CL, Cheng Q, Zhao LQ, Mao AJ, Yang JJ, Yu SC, **Weng Y**, Xu Y. Identification and characterization of Dof transcription factors in the cucumber genome. *Scientific Reports* 6: 23072. 2016.
- 63) Lin T, Wang SH, Zhong Y, Gao DL, Cui QZ, Chen HM, Zhang ZH, Shen HL, **Weng Y**, Huang SW. A truncated F-box protein confers the dwarfism in cucumber. *J Genetics Genomics* 43: 223–226. 2016.
- 64) Zhang HY, Fan JG, Guo SG, Ren Y, Gong GY, Zhang J, **Weng Y**, Davis AR, Xu Y. Genetic diversity, population structure, and formation of a core collection of 1197 *Citrullus* accessions.

HortSci 51: 23–29. 2016.

- 65) *Lietzow CD, Zhu HY, Pandey S, Havey MJ, Weng Y.* QTL mapping of parthenocarpic fruit set in North American processing cucumber. *Theoretical and Applied Genetics* 129: 2387–2401. 2016. (Corresponding author)
- 66) *Bo KL, Wang H, Pan YP, Behera TK, Pandey S, Wen CL, Wang YH, Simon PW, Li YH, Chen JF, Weng Y.* *SHORT HYPOCOTYL1* encodes a SMARCA3-like chromatin remodeling factor regulating elongation. *Plant Physiology* 172: 1273- 1292. 2016. (Corresponding author)
- 67) *Gao ML, Hu LL, Li YH, Weng Y.* The chlorophyll-deficient *golden leaf* mutation in cucumber is due to a single nucleotide substitution in *CsChlI* for magnesium chelatase I subunit. *Theoretical and Applied Genetics* 129: 1961-1973. 2016. (Corresponding author)
- 68) *Han YH, Pan JS, Thammapichai P, Li ZY, Weng Y.* Asynchronous meiosis in *Cucumis hystrix*-cucumber synthetic tetraploids resulting in low male fertility. *Crop Journal* 4: 275–279. 2016. (Corresponding author)
- 69) *Wang H, Li WQ, Qin YG, Pan YP, Wang XF, Weng Y, Chen P, Li YH.* The cytochrome P450 gene *CsCYP85A1* is a putative candidate for *super compact-1(scp-1)* plant architecture mutation in cucumber (*Cucumis sativus L.*). *Frontier in Plant Sci* 8: 266. 2017.
- 70) *Pan YP, Liang XJ, Gao ML, Meng HW, Liu HQ, Weng Y, Cheng ZH.* Round fruit shape in WI7239 cucumber is controlled by two interacting quantitative trait loci with one encoding a tomato *SUN* homolog. *Theoretical and Applied Genetics* 130:573–586. 2017. (Co-corresponding author with Cheng ZH)
- 71) *Pan YP, Qu SP, Bo KL, Gao ML, Haider KR, Weng Y.* QTL mapping of domestication and diversifying selection related traits in round-fruited semi-wild Xishuangbanna cucumber (*Cucumis sativus L. var. xishuangbannensis*). *Theoretical and Applied Genetics* 130: 573-586. 2017. (Corresponding author)
- 72) *Chen FF, Fu BB, Pan YP, Wen HF, Chen P, Weng Y, Li YH.* Fine Mapping identifies *CsGCN5* encoding a histone acetyltransferase as putative candidate gene for *tendril-less1* mutation (*td-1*) in cucumber. *Theoretical and Applied Genetics D* 130: 1549-1558. 2017.
- 73) *Ramírez-Madera AO, Miller ND, Spalding EP, Weng Y, Havey MJ.* Spontaneous polyploidization in cucumber. *Theoretical and Applied Genetics* 130: 1481-1490. 2017.
- 74) *Wang YH, VandenLangenberg K, Wen CL, Wehner TC, Weng Y.* QTL mapping of downy and powdery mildew resistances in PI 197088 cucumber with genotyping-by-sequencing in RIL population. *Theoretical and Applied Genetics* 131: 597–611. 2017. (Corresponding author)

- 75) **Weng Y**, Wehner TC. Cucumber Gene Catalog 2017. Cucurbit Genetic Cooperative Report, Issues 34-35. 2017. (Corresponding author)
- 76) Zhu HY, sun XF, Zhang Q, Song PY, Hu QM, Zhang XJ, Li X, Hu JB, Pan JS, Sun SR, **Weng Y**, Yang LM. *GLABROUS (CmGL)* encodes a HD-ZIP IV transcription factor playing roles in multicellular trichome initiation in melon. *Theoretical and Applied Genetics* 131: 569-579. 2017
- 77) Colle M, **Weng Y**, Kang YY, Ophir R, Sherman R, Grumet R. Variation in cucumber fruit size and shape results from multiple components acting pre- anthesis and post-pollination. *Planta* 246: 641–658. 2017
- 78) Hou SS, Niu HH, Tao QY, Wang SH, Gong ZH, Li S, **Weng Y**, Li Z. A mutant in the *CsDET2* gene leads to a systemic brassinosteroid deficiency and super compact phenotype in cucumber (*Cucumis sativus L.*). *Theoretical and Applied Genetics* 130: 1693-1703. 2017. (Co-corresponding author with Li Z)
- 79) Hou FF, Li S, Wang JY, Kang XP, **Weng Y**, Xing GM. Identification and validation of reference genes for quantitative real-time PCR studies in long yellow daylily, *Hemerocallis citrina* Borani. *PLoS One* 12(3): e0174933. 2017
- 80) Wu S, Zhang BY, Keyhaninejad N, Rodríguez GR, Kim HJ, Chakrabarti M, Illa-Berenguer E, Taitano NK, Gonzalo MJ, Díaz A, Pan YP, Halterman D, **Weng Y**, Jansky SH, Monforte AJ, Meulia T, van der Knaap E. Tomato reveals a common mechanism underlying morphological diversification in domesticated plants. *Nature Communications* 9, Article number: 4734. 2018.
- 81) Wang X, Bao K, Reddy UK, Bai Y, Hammer SA, Jiao C, Wehner TC, Ramirez Madera A, **Weng Y**, Grumet R, Fei ZJ. The USDA cucumber (*Cucumis sativus L.*) collection: genetic diversity, population structure, genome-wide association studies and core collection development. *Horticulture Research* 5, Article number: 64. 2018
- 82) Niu HH, Liu XF, Tong C, Wang H, Li S, Lu L, Pan YP, Zhang XL, **Weng Y**, Li Z. The *WUSCHEL-related homeobox1* gene of cucumber regulates reproductive organ development. *Journal of Experimental Botany* 69: 5373–5387. 2018 (Co- corresponding author with Li Z)
- 83) Yang LM, Liu HQ, Zhao JY, Pan YP, Cheng SY, Lietzow CD, Wen CL, Zhang XL, **Weng Y**. *LITTLELEAF (LL)* encodes a WD40 repeat domain-containing protein associated with organ size variation in cucumber. *Plant Journal* 95: 834- 847. 2018 (Corresponding author)
- 84) Liu XW, Wang T, Bartholomew E, Black K, Dong MM, Zhang YQ, Yang S, Cai YL, Xue SD, **Weng Y**, Ren HZ. Comprehensive analysis of NAC transcription factors and their expression during fruit spine development in cucumber (*Cucumis sativus L.*). *Horticulture*

Research 5, Article number: 31. 2018. (Corresponding author with Ren HZ)

- 85) *Pan JS, Tan JY, Wang YH, Zheng XY, Owens K, Li DW, Li YH, Weng Y.* STAYGREEN (*CsSGR*) is a candidate for the anthracnose (*Colletotrichum orbiculare*) resistance locus *cla* in Gy14 cucumber. *Theoretical and Applied Genetics* 131: 1577–1587. 2018. (Corresponding author)
- 86) *Zhang Q, Du H, Lv D, Xiao TT, Pan J, He HL, Wang G, Cai R, Weng Y, Pan JS.* Efficient transposition of the retrotransposon *Tnt1* in cucumber (*Cucumis sativus L.*). *Horticulture Plant Journal* 4: 111-116. 2018.
- 87) *Zhang CW, Chen FF, Zhao ZY, Hu LL, Liu HQ, Cheng ZH, Weng Y, Chen P, Li YH.* Mutations in *CsPid* encoding a Ser/Thr protein kinase are responsible for round leaf shape in cucumber (*Cucumis sativus L.*). *Theoretical and Applied Genetics* 131: 1379–1389. 2018
- 88) *Ma C, Yang JJ, Cheng Q, Mao AJ, Zhang J, Wang SP, Weng Y, Wen CL.* Comparative analysis of miRNA and mRNA abundance in determinate cucumber by high throughput sequencing. *PLoS One* 13: e019069. 2018.
- 89) *Liu XF, Ning K, Che G, Yan SS, Han LJ, Gu R, Li Z, Weng Y, Zhang XL.* CsSPL functions as an adaptor between HD-ZIP III and CsWUS transcription factors regulating anther and ovule development in cucumber. *Plant J* 94: 535-547. 2018.
- 90) *Yang S, Cai YL, Liu XW, Dong MM, Zhang YQ, Chen SY, Zhang WH, Li YJ, Tang M, Zhai XL, Weng Y, Ren HZ.* CsMYB6-CsTRY module regulates fruit trichome initiation in cucumber. *Journal of Experimental Botany* 69:1887-1902. 2018. (Co-corresponding author with Ren H)
- 91) *Xu WW, Ji J, Xu Q, Qi XH, Weng Y, Chen XH.* The major-effect quantitative trait locus *CsARN6.1* encodes an AAA ATPase domain-containing protein that is associated with waterlogging stress tolerance by promoting adventitious root formation. *Plant J* 93:917-930. 2018. (Co-corresponding author with Chen XH)
- 92) *Stephanie Rett-Cadman S, Colle M, Mansfeld B, Barry CS, Wang YH, Weng Y, Gao L, Fei Z, Grumet R.* QTL and transcriptomic analyses implicate cuticle transcription factor SHINE as a source of natural variation for epidermal traits in cucumber fruit. *Front Plant Sci* 10: 1536. 2019.
- 93) *Sheng YY, Pan YP, Li YH, Yang LM, Weng Y.* Quantitative trait loci for fruit size and flowering time-related traits under domestication and diversifying selection in cucumber (*Cucumis sativus L.*). *Plant Breeding* 139: 176-191. 2019. (Corresponding author)
- 94) *Wen CL, Zhao WS, Liu WL, Yang LM, Wang YH, Liu XW, Xu Y, Ren HZ, Guo YD, Li C, Li JG, Weng Y, Zhang XL* (2019) CsTFL1 inhibits determinate growth through interaction with CsNOT2 and CsFDP in cucumber (*Cucumis sativus L.*). *Development* 146:

- dev180166. 2019. (Co-corresponding author with Zhang XL)
- 95) **Weng Y.** Molecular breeding research in the USDA-ASR Cucumber Breeding Program. *J Tianjin Agricultural Science*. 25: 6-18. 2019. (Corresponding author)
- 96) *Zhao JY, Jiang L, Che G, Hou Y, Li YQ, Pan YP, Zhao WS, Zhong YT, Ding L, Yan SS, Sun CZ, Liu RY, Yan LY, Wu T, Li XX, Weng Y, Zhang XL.* *CsFUL1* is a negative regulator of fruit length acting on *CsSUP* functioning and auxin transport in cucumber. *Plant Cell* 31: 1289-1307. 2019.
- 97) *Yagcioglu M, Jiang B, Wang P, Wang YH, Ellaliatioglu SS, Weng Y.* QTL mapping of low temperature germination ability in cucumber. *Euphytica* 215: 84. 2019. (Corresponding author)
- 98) *Rong FX, Chen FF, Huang L, Zhang JY, Cheng ZH, Hou D, Weng Y, Chen P, Li YH.* A mutation in class III homeodomain-leucine zipper (HD-ZIP III) transcription factor results in *curly leaf (cl)* in cucumber (*Cucumis sativus L.*). *Theoretical and Applied Genetics* 132: 113–123. 2019.
- 99) *Wang YH, Tan JY, Wu ZM, VandenLangenberg K, Wehner TC, Wen CL, Zheng XY, Owens K, Thornton A, Bang HH, Hoeft E, Kraan PAG, Suelmann J, Pan JS, Weng Y.* STAYGREEN, STAY HEALTHY: a loss-of-susceptibility mutation in the *STAYGREEN* gene provides durable, broad-spectrum disease resistances for over 50 years of US cucumber production. *New Phytologist* 221: 415-430. 2019. (Corresponding author)
- 100) *Xue SD, Dong MM, Liu XW, Xu S, Pang JN, Zhang WZ, Weng Y, Ren HZ.* Classification of fruit trichomes in cucumber and effects of plant hormones on Type II fruit trichome development. *Planta* 249:407–416. 2019. (Co- corresponding author with Ren H)
- 101) *Zheng Y, Wu S, Bai Y, Sun HH, Jiao C, Guo SG, Blanca J, Zhang ZH, Huang SW, Xu Y, Weng Y, Mazourek M, Reddy U, Ando K, McCreight J, Tadmor Y, Katzir N, Giovannoni J, Ling K-S, Wechter WP, Levi A, Garcia-Mas J, Grumet R, Fei ZJ.* Cucurbit Genomics Database (CuGenDB): a center portal for comparative and functional genomics of cucurbit crops. *Nucleic Acids Res.* 47(D1), pp.D1128- D1136. 2020.
- 102) *Amanullah S, Gao P, Osae BA, Saroj A Yang TT, Liu S, Weng Y, Luan FS.* Genetic linkage and QTL identification for morphology and fruit quality related traits of melon with SNP-based CAPS markers. *Scientia Hort* 278: 109849. 2020.
- 103) *Yang S, Zhang KG, Zhu HY, Zhang XJ, Yan WK, Xu NN, Liu DM, Hu JB, We YF, Weng Y, Yang LM.* Melon *short internode (CmSi)* encodes an ERECTA-like receptor kinase regulating stem elongation through auxin signaling. *Horticulture Research* 7: 202. 2020.
- 104) *Wang H, Niu HH, Li C, Shen GY, Liu XF, Weng Y, Wu T, Li Z.* WUSCHEL-related homeobox1 (WOX1) regulates vein patterning and leaf size in *Cucumis sativus*. *Horticulture*

Research 7: 182. 2020.

- 105) Liu S, Gao P, Zhu QL, Liu HY, Wang XZ, **Weng Y**, Gao ML, Luan FS. Resequencing 297 melon accessions reveals the genomic history of improvement and loci related to fruit traits in melon. *Plant Biotechnology Journal* 18: 2545- 2558. 2020.
- 106) Pan YP, Wen CL, Han YH, Wang YH, Li YH, Li S, Cheng XM, **Weng Y**. QTL for horticulturally important traits associated with pleiotropic *andromonoecy* and *carpel number* loci, and a paracentric inversion in cucumber. *Theoretical and Applied Genetics* 133: 2271-2290. 2020. (Corresponding author)
- 107) Li Z, Han YH, Niu HH, Wang YH, Jiang B, **Weng Y**. Gynoecy instability in cucumber (*Cucumis sativus* L.) is due to unequal crossover at the copy number variation-dependent *femaleness* (*F*) locus. *Horticulture Research* 7: 32. 2020. (Corresponding author)
- 108) Che G, Gu R, Zhao JY, Liu XF, Song XF, Zi HL, Cheng ZH, Shen JJ, Wang ZY, Liu RY, Yan LY, **Weng Y**, Zhang XL. Gene regulatory network of carpel number variation in cucumber. *Development* 147: dev184788. 2020.
- 109) Hu LL, Zhang HQ, Xie C, Wang J, Zhang JZ, Wang H, **Weng Y**, Chen P, Li YH. A mutation in *CsHD* encoding a histidine and aspartic acid domain-containing protein leads to *yellow young leaf-1* (*yyl-1*) in cucumber (*Cucumis sativus* L.). *Plant Science* 293: 110407. 2020.
- 110) Wang YH, Bo KL, Gu XF, Pan JS, Li YH, Chen JF, Wen CL, Ren ZH, Ren HZ, Chen XH, Grumet R, **Weng Y** (2020) Molecularly tagged genes and quantitative trait loci in cucumber - and recommendation of controlled vocabulary for QTL mapping. *Horticulture Research* 7:3. 2020. (Corresponding author)
- 111) Pan YP, Wang YH, McGregor C, Liu S, Luan FS, Gao ML, **Weng Y**. Genetic architecture of fruit size and shape variation in cucurbits: a comparative perspective. *Theoretical and Applied Genetics* 133: 1-21. 2020. (Corresponding author)
- 112) **Weng Y**, Garcia-Mas J, Levi A and Luan F. Editorial: Translational Research for Cucurbit Molecular Breeding: Traits, Markers, and Genes. *Frontiers in Plant Science* 11:615346, 2020. (Corresponding author)
- 113) **Weng Y**. Inaugural Editorial. *Vegetable Research* 1: 1, doi: 10.48130/VR-2021- 0001. 2021. (Corresponding author)
- 114) **Weng Y**. *Cucumis sativus* Chromosome Evolution, Domestication, and Genetic Diversity – Implications for Cucumber Breeding. *Plant Breeding Review* 49: 77-111. 2021. (Corresponding author)
- 115) Simko I, Jia MY, Venkatesh J, Kang B-C, **Weng Y**, Barcaccia G, Lanteri S, Bhattacharai G, Foolad MR. Genomics and marker assisted improvement of vegetable crops. *Critical*

Reviews in Plant Science 40: 303–365. 2021.

- 116) Acharya B, Mackasmiel L, Taheri A, Ondzighi-Assoume CA, **Weng Y**, Dumenyo CK. Identification of bacterial wilt (*Erwinia tracheiphila*) resistances in USDA melon collection. *Plants* 10: 1972. 2021
- 117) Grumet R, McCreight JD, McGregor C, **Weng Y**, Mazourek M, Reitsma K, Labate J, Davis A, Fei Z. Genetic resources and vulnerabilities of major cucurbit crops. *Genes* 12: 1222. 2021.
- 118) Li S, F Ji, F Hou, Q Shi, G Xing, H Chen, **Y Weng**, X Kang. Morphological, palynological and molecular assessment of *Hemerocallis* core collection. *Scientia Hort* 285, 110181. 2021
- 119) Yang S, Zhang KG, Zhu HY, Zhang FJ, Yan WK, Xu NN, Liu DM, Hu JB, Wu YF, **Weng Y**, Yang LM. *Melon short internode (CmSi)* encodes an ERECTA-like receptor kinase regulating stem elongation through auxin signaling. *Horticulture Research* 7: 202. 2021.
- 120) Hu L, Liu P, Jin Z, Sun J, **Weng Y**, Chen P, Du SL, Wei A, Li Y. A mutation in *CsHY2* encoding a phytochromobilin (PΦB) synthase leads to an *elongated hypocotyl 1 (elh1)* phenotype in cucumber (*Cucumis sativus* L.). *Theoretical and Applied Genetics* 134: 2639–2652. 2021.
- 121) Li XZ, Sun YH, Yang YT, Yang XP, Xue WY, Wu MQ, Chen PP, **Weng Y**, Chen SX. Transcriptomic and histological analysis of the responses of susceptible and resistant cucumbers to *Meloidogyne incognita* infection reveal complex resistance via multiple signaling pathways. *Front Plant Sci* 12: 675429. 2021. (Co- corresponding author with Chen SX)
- 122) Wang Y, Jiang B, Dymerski R, Xu XW, **Weng Y**. Quantitative trait loci for horticulturally important traits defining the Sikkim cucumber, *Cucumis sativus* var. *sikkimensis*. *Theoretical and Applied Genetics* 134: 229–247. 2021. (Corresponding author)
- 123) Wang H, Sun J, Yang F, **Weng Y**, Chen P, Du S, Wei A, Li YH. *CsKTN1* for a katanin p60 subunit is associated with the regulation of fruit elongation in cucumber (*Cucumis sativus* L.). *Theoretical and Applied Genetics* 134: 2429–2441. 2021.
- 124) Tan JY, Wang YH, Dymerski RD, Wu ZM, **Weng Y**. *Sigma factor binding protein 1 (CsSIB1)* is a putative candidate of the major-effect QTL *dm5.3* for downy mildew resistance in cucumber (*Cucumis sativus*). *Theoretical and Applied Genetics* 135: 4197–4215. 2022. (Corresponding author)
- 125) Pan YP, Chen BR, Qiao LJ, Chen FF, Zhao JY, Cheng ZH, **Weng Y**. Phenotypic characterization and fine mapping of a major-effect fruit shape QTL *FS5.2* in cucumber, *Cucumis sativus* L., with near isogenic line-derived segregating populations. *Int J Mol Sci* 23: 13384. 2022. (Corresponding author)

- 126) Che G, Pan YP, Liu XF, Li M, Zhao JY, Yan SS, He YT, Wang ZY, Cheng ZH, Song WY, Zhou ZY, Wu T, **Weng Y**, Zhang XL. Natural variation in *CRABS CLAW* contributes to fruit length divergence in cucumber. *Plant Cell*, 35: 738-755. 2022. (Co-corresponding author with Zhang XL)
- 127) Zhai XL, Wu HY, Wang YR, Zhang ZR, Shan L, Zhao X, Wang RJ, Liu C, **Weng Y**, Wang Y, Liu XW, Ren HZ. The fruit glossiness locus, *dull fruit (D)*, encodes a C2H2-type zinc finger transcription factor, CsDULL, in cucumber (*Cucumis sativus* L.). *Horticulture Research*, 9, uhac146. 2022.
- 128) Zhang HJ, Wang YH, Tan JY, **Weng Y**. Functional copy number variation of *CsSHINE1* is associated with fruit skin netting intensity in cucumber, *Cucumis sativus*. *Theoretical and Applied Genetics* 135: 2101–2119. 2022. (Corresponding author)
- 129) Das A, Singh S, Islam Z, Munshi AD, Behera TK, Dutta S, **Weng Y**, Dey SS. Current progress in genetic and genomics-aided breeding for stress resistance in cucumber (*Cucumis sativus* L.). *Scientia Horticulturae* 300: 111059. 2022.
- 130) Du XF, Routray J, Williams C, **Weng Y**. Association of refreshing perception with volatile aroma compounds, organic acids, and soluble solids in freshly consumed cucumber fruit. *ACS Food Sci & Tech* 2.9 (2022): 1495-1506.
- 131) **Weng Y**. Cucumber variety list (2013 -2022). In Vegetable Cultivar Descriptions for North America List 28 (edited by Beiquan Mou). *HortScience* 57: 949-1040. 2022.
- 132) Bo KL, Duan Y, Qiu XY, Zhang M, Shu Q, Sun YP, He YD, Shi YZ, **Weng Y**, Wang CL. Promoter variation in a homeobox gene, *CpDl1*, is associated with deeply lobed leaf in *Cucurbita pepo* L. *Theoretical and Applied Genetics* 135: 1223–1234. 2022. (Co-corresponding author with Wang CL)
- 133) Yang J, **Weng Y**, Li HH, Kong QS, Wang WL, Yan CH, Wang LP. *Epidermal Patterning Factor 2-like (McEPFL2)* is a putative candidate for the *continuous ridge (cr)* fruit skin locus in bitter gourd (*Momordica charantia* L.) *Genes* 13: 1148. 2022.
- 134) Du XF, Davila M, Williams C, **Weng Y**. Fresh cucumber fruit physicochemical properties, consumer acceptance, and impact of variety and harvest date. *ACS Food Sci. & Technol.* 2022, 2, 4, 616–629. 2022.
- 135) Williams C, **Weng Y**, Du XF. Sensory profiles of 10 cucumber varieties using a panel trained with chemical references. *ACS Food Sci. & Technol.* 2022, 2, 5, 815– 824.
- 136) Zhao JY, Bo KL, Pan YP, Li YH, Yu DL, Li C, Chang J, Wu S, Wang ZY, Zhang XL, Gu XF, **Weng Y**. Phytochrome-interacting factor PIF3 integrates phytochrome B and UV-B signaling pathways to regulate gibberellin- and auxin- dependent growth in cucumber

hypocotyls. *Journal of Experimental Botany*, 74: 4520-4539. 2023. (Corresponding author)

- 137) Chen FF, Yong JP, Liu MY, Wang QQ, Zhong HL, Pan YP, Chen P, Zhang GY, **Weng Y**, Li YH. LTR retrotransposon insertion inside *CsERECTA* for an LRR receptor-like serine/threonine-protein kinase results in *compact* (*cp*) plant architecture in cucumber. *Theor Appl Genet* 136: 31. 2023. (Co-corresponding author with Li YH)
- 138) Feng ZX, Sun L, Dong MM, Fan SS, Shi S, Qu YX, Zhu LY, Shi JF, Wang WJ, Liu YH, Song LY, **Weng Y**, Liu XW, Ren HZ. Novel players in organogenesis and flavonoid biosynthesis in cucumber glandular trichomes. *Plant Physiology*, 146(2): 236. 2023.
- 139) Kaur H, Manchanda P, Kumar P, Dhall RK, Chhuneja P, **Weng Y**. Genome-wide identification and characterization of parthenocarpic fruit set-related gene homologs in cucumber (*Cucumis sativus* L.). *Scientific Report* 13: 2403. 2023.
- 140) Liu HQ, Zhao JY, Chen FF, Wu ZM, Tan JY, Nguyen NH, Cheng ZH, **Weng Y**. Improving Agrobacterium tumefaciens-mediated genetic transformation for gene function studies and mutagenesis in cucumber, *Cucumis sativus*. *Genes* 14: 601. 2023. (Corresponding author)
- 141) Yu JY, Wu S, Sun HH, Wang X, Tang XM, Guo SG, Zhang ZH, Huang SW, Xu Y, **Weng Y**, Mazourek M, McGregor C, Renner SS, Branham S, Kousik C, Wechter WP, Levi A, Grumet R, Zheng Y, Fei ZJ. CuGenDBv2: an updated database for cucurbit genomics. *Nucleic Acids Research*, 51(D1), pp. D1457- D1464. 2023.
- 142) Lin YC, Mansfeld BN, Tang X, Colle M, Chen F, **Weng Y**, Fei Z, Grumet R. Identification of QTL associated with resistance to Phytophthora fruit rot in cucumber (*Cucumis sativus* L.) *Frontiers in Plant Science* 14, 1281755. 2023.
- 143) Hu, L, Zhang M, Shang J, Liu Z, **Weng Y**, Yue H, Li Y, Chen P. A 5.5-kb LTR-retrotransposon insertion inside *phytochrome B* gene (*CsPHYB*) results in long hypocotyl and early flowering in cucumber (*Cucumis sativus* L.). *Theoretical Applied Genetics* 136: 68. 2023.
- 144) Xu NN, Fang XX, Xie KX, Cheng SY, Wang YL, Yang S, Zhu HY, Sun SR, **Weng Y**, Yang LM. Transcriptional and phytohormone regulatory network involved in LITTLELEAF-mediated organ size development in cucumber (*Cucumis sativus*). *Scientia Horticulturae* 321: 112294. 2023.
- 145) Shen Q, **Weng Y**. Alternative splicing of NAC transcription factor gene *CmNST1* is associated with naked seed mutation in pumpkin, *Cucurbita moschata*. *GENES* 14, 962. 2023.
- 146) Feng Z, Sun L, Dong M, Fan S, Shi K, Qu Y, Zhu L, Shi J, Wang W, Liu Y, Chen XF, **Weng Y**, Liu XW, Ren HZ. Identification and functional characterization of *CsMYCs*

in cucumber glandular trichome development. *Int J Mol Sci* 24: 6435. 2023.

- 147) Rett-Cadman S, **Weng Y**, Fei Z, Thompson A, Grumet R. Genome-wide association study of cuticle and lipid droplet properties of cucumber (*Cucumis sativus* L.) fruit. *Int J Mol Sci.* 25: 9306. 2024.
- 148) Zhang Z, Zhang H, Liu J, Chen K, Wang Y, Zhang G, Li L, Yue H, Weng Y, Li Y, Chen P. The mutation of *CsSUN*, an IQD family protein, is responsible for the *short and fat fruit* (*sff*) in cucumber (*Cucumis sativus* L.). *Plant Sci* 346:112177. 2024.
- 149) Lin Y-C, Weng Y, Fei, ZJ, Grumet R. Mining the cucumber core collection: Phenotypic and genetic characterization of morphological diversity for fruit quality characteristics. Horticulture Research uhae340. 2024.
- 150) Yang S, Xue S, Shan L, Fan S, Sun L, Dong Y, Li S, Gao Y, Qi Y, Yang L, An M, Wang F, Pang J, Zhang WZ, **Weng Y**, Liu XW, Ren HZ. The CsTM alters multicellular trichome morphology and enhances resistance against aphid by interacting with CsTIP1; 1 in cucumber. *J Adv Res* <https://doi.org/10.1016/j.jare.2024.04.008>. 2024
- 151) Pan M, Xia C, Gu S, He H, Wang G, **Weng Y**, Pan J, Pan JS. Loss-function-of a UMP kinase leads to impaired chloroplast development and photosynthesis efficiency in cucumber. *Vegetable Res*, 4: e034. 2024.
- 152) Liu HQ, Huang ZQ, Wang XY, Hu KH, Jiang QQ, Chen FC, Ma YX, Cheng ZH, Pan YP, **Weng Y**. Regreening mechanisms in cucumber: insights from a *CsSIG2* mutation affecting chloroplast development. *Theoretical and Applied Genetics* DOI: 10.1007/s00122-025-04854-7. 2025.
- 153) Zhang HQ, Luo YJ, Zhen WL, Li X, Liu MY, Liu P, Zhang GY, Chen P, **Weng Y**, Yue ZH, Li YH. Mutations in a leucine-rich repeat receptor-like kinase gene result in male sterility and reduction in the number and size of fruit warts in cucumber (*Cucumis sativus* L.). *Theoretical and Applied Genetics* 138: 7. 2025.

Additional Publications

- 154) **Weng Y**. Identification and alien transfer of scab resistance from *Roegneria kamoji* to common wheat. MS. Thesis of Nanjing Agricultural University, China. 1988. (Thesis)
- 155) Liu DJ, **Weng YQ**, Chen PD. Transfer of scab resistance from *Roegneria* species into wheat. In: (Kimber G, ed.) Proceedings of the Second International Symposium on Chromosome Engineering in Plants (Univ. of Missouri - Columbia, USA), pp 166-176. 1990. (Proceedings)
- 156) **Weng Y**, Chen PD, Liu DJ. Cytogenetics and scab resistance of the reciprocal hybrids and their backcross derivatives between wheat and *Roegneria kamoji*. In: Proceedings of the

- First Young Scientist Conference of Jiangsu Province (Dec 12- 15, Nanjing, China), pp. 35-38. 1992. (Proceedings)
- 157) **Weng Y**, Wu LF, Chen PD, Liu DJ. Development of alien addition lines with scab resistance from *Roegneria kamoji*. In: (Li ZS, ed) Proceedings of the Eighth International Wheat Genetics Symposium (July 20-25, 1993. Beijing, China), pp. 365-368. 1993. (Proceedings)
- 158) **Weng Y**. Genetic engineering and plant improvement. In: Biotechnology: theories and applications (He CY, Yang YH editors), China Agricultural Sci-Tech Publishing House, Beijing, pp 1-34. 1994. (Book Chapter)
- 159) **Weng Y**. Deletion mapping of RFLP loci in homoeologous group-6 chromosomes of wheat, *Triticum aestivum* L. Ph.D. Thesis, Texas A & M University, College Station, USA. 1998. (Dissertation)
- 160) **Weng Y**, Tuleen NA, Hart GE. Construction of a consensus physical map of group 6 chromosomes of wheat and comparison with a consensus *Triticeae* map. In: (Slinkard AE, ed.) Proc 9th International Wheat Genetics Symposium (Aug 2-7, Saskatoon, Canada), Vol. 3, pp 162-164, University Extension Press, University of Saskatchewan, Saskatoon, Canada. 1998. (Proceedings)
- 161) Lazar MD, Michels Jr. GJ, **Weng Y**, Porter KB, Peterson GL, and Fritts DA. Development of greenbug resistance in wheat. In: Proceedings of Annual Meeting of Entomology Society of America. 1999. (Proceedings)
- 162) Perumal A, **Weng Y**, Babu R, Manickavel A, Saraswathi DV, Balyan HS. Chapter 2: Fundamentals of physical mapping. in “Principles and Practices of Plant Genomics. Vol 3: Advanced Genomics” (editors: Kole C and Abbott AG), CRC Press, pp 24-62. 2010. (Book Chapter)
- 163) **Weng Y**. 2008 Public sector cucumber research priority survey. *Cucurbit Genetics Cooperative Report*, Issues 31-32: 1-4. 2010. (Newsletter)
- 164) **Weng Y**. Cucumber phylogeny, genetics and genomics as of 2010. In: Cucurbitaceae 2010 Proceedings (eds. Thies JA, Kousik S, and Levi A). Amer Soc Hort Sci, Alexandria, VA. pp. 116-119. 2010. (Proceedings)
- 165) **Weng Y**, Sun ZY. Major Cucurbits. In: Genetics, Genomics and Breeding of Cucurbits (eds. Wang YH, Behera TK, and Kole C). CRC Press, New York. pp 1-16. 2012. (Book Chapter)
- 166) *Qu SP, Pan YP, Weng Y*. QTL Mapping of flowering time and fruit shape in Xishuangbanna cucumber (*Cucumis sativus* L. var. *xishuangbannensis* Qi et Yuan). *Proc Cucurbitaceae*, pp 54-56. 2014. (Proceedings)

- 167) **Weng Y.** Molecularly tagged genes and quantitative trait loci in cucumber. *Proc Cucurbitaceae*, pp 48-53. 2014. (Proceedings)
- 168) Wang Y, VandenLangenberg K, Wehner TC, **Weng Y.** QTLs for downy mildew resistance and their association with LRR-RLK resistance gene analogs in cucumber. *Proc Cucurbitaceae 2014*, pp 17-20. 2014. (Proceedings)
- 169) **Weng Y.** Cucumber applied genomics: where we are five years after release of cucumber draft genome. *V ISHS International Symposium on Cucurbits*. 2015. (Proceedings)
- 170) *Azhaguvvel P, Weng Y, Babu R, Manickavelu A, Saraswathi DV, Balyan HS.* Fundamentals of physical mapping. Principles and Practices of Plant Genomics, Volume 3: 60-98. CRC Press. 2016. (Book chapter).
- 171) Grumet R, Fei ZJ, Levi A, McCreight JD, Mazourek M, Palma M, Schultheis J, **Weng Y**, Hausbeck M, Kousik S, et al. CucCAP - Developing genomic resources for the cucurbit community. *Proc Cucurbitaceae 2016* (Kozik EU, Paris HS, Eds.). 2016. (Proceedings)
- 172) Nimmakayala P, Thangasamy S, Venkata LA, Lav KY, Yan T, Levi A, **Weng Y**, Reddy KU. Comparative Genomics of the Cucurbitaceae. In: Springer International Publishing AG 2017, R. Grumet et al (eds.,) *Genetics and Genomics of Cucurbitaceae*, Plant Genetics and Genomics: Crops and Models, DOI 10.1007/7397_2016_2. 2016. (Book Chapter)
- 173) **Weng Y.** The cucumber genome. In: Springer International Publishing AG 2017, Grumet R et al (eds) *Genetics and Genomics of Cucurbitaceae*, Plant Genetics and Genomics: Crops and Models, DOI 10.1007/7397_2016_2. 2016. (Book Chapter)
- 174) **Weng Y.** 2014 Cucumber Public Sector Research Priority Global Survey. *Cucurbit Genetic Coop*, Issues 34-35, 2017. (Newsletter)
- 175) **Weng Y.** The cucumber genome. In: Springer International Publishing AG 2017: R. Grumet et al (eds.,) *Genetics and Genomics of Cucurbitaceae*, Plant Genetics and Genomics: Crops and Models, DOI 10.1007/7397_2016_2. 2017. (Book chapter).
- 176) Grumet R, Fei Z, Levi A, Mazourek M, McCreight JD, Schultheis J, **Weng Y**, et al. The CucCAP project: Leveraging applied genomics to improve disease resistance in cucurbit crops. *Proc 6th ISHS International Symposium on Cucurbits*. 2019. (Proceedings).
- 177) **Weng Y**, Reitsma K. Cucumber vulnerability statement. <https://www.ars-grin.gov/documents/cgc/cvs/2020-Cucumber%20Crop%20Vulnerability%20Statement.pdf>. 2020. (Research Report).
- 178) Pandey S, **Weng Y**, Behera TK, Bo KL. The Cucumber Genome. Springer Nature Switzerland AG. 2022. (Book editor; <https://link.springer.com/book/10.1007/978-3-030-88647-9>). (Book editor)

- 179) **Liu HQ, Weng Y.** Chapter 5. *Agrobacterium Tumefaciens*-Mediated Genetic Transformation in Cucumber. In: Pandey S, Weng Y, Behera TK, Bo KL (eds) *The Cucumber Genome*. Springer Nature. pp 55-69. 2022. (Book chapter).
- 180) **Weng Y**, Chapter 3. The Cucumber Genome—An Update. In: Pandey S, Weng Y, Behera TK, Bo KL (eds) *The Cucumber Genome*. Springer Nature Switzerland AG. pp 25-35. 2022. (Book chapter)